



G2 Digital LED Merchandising Banner





Connection



Simple installation, all that is required is power and WiFi. At only 18kg psqm can be hung easily anywhere from aluminium window frame to suspended ceiling.

Log into Cloud Server to control content from Head Office or Home Office. Instantly update all stores simultaneously. Program promotional campaigns months in advance, set and forget.

Cloud Control



Super Bright



Visible from 5-20 mtrs

Up to 6400 nit bright for Outdoor Display allows visibility throughout the day and night, with ambient light sensors to automatically adjust for optimal viewing.

Perfect for convenience stores to engage their customers at the pump, promote up to 12 instore offers per minute.

Visible and legible from 5 - 20mtrs



P3

Sleek and minimalist, our DLB series LED displays are the most effective technology in grabbing customers' attention when shopping within your stores. Designed with the thinnest 25mm profile to easily fit within any retail location for verticle instore window display, or outdoor store wide banner above. Our 6400nit bright LED Displays can be viewed with ease from 5 to 20m away on the brightest summer days, dimming automatically to optimal brightness as the sun goes down.

A connection to your stores WiFi network is all that is required, to update multiple displays from remote head office location using cloud based server software. All stores will have the latest merchandise promotional message simultaneously. Promote up to 12 offers per minute, use the Displays to offer advertising opportunities for suppliers or companies wanting to reach your customers, creating additional revenue opportunities.

Our innovative marketing tool delivers an experience to your customers above and beyond your competitors.

Features of all our Displays:

- Super bright LED Sign up to 6400nit (Outdoor), 1400nit (Indoor)
- Automatic brightness level adjusts for optimum visual impact
- Slim 25mm depth to fit inside window frame
- Unlimited Text, Images, Video, Programs, Custom built to stores requirements
- Portrait or Landscape orientation, IP65 weatherproof, 100,000 hrs life cycle 24/7 usage
- Send information by USB, LAN, WIFI either instore or by Web based Cloud Software to update screens from H/O

Head Office:
10/25-39 Cook Rd,
Mitcham, VIC 3132
1300 LED AUS (533 287)
www.g2media.com.au



DLMB1276 - .8m x .12m x .05m
P4 pitch SMD LED (192 x 32) 6,144 pixels
3.7kg, 100,000 hrs usage 24/7
DLMB7612 - .8m x .12m x .05m
P2 pitch SMD LED (384 x 64) 24,576 pixels
3.8kg, 100,000 hrs usage 24/7



DLB2370 - 2.3m x .7m x .025m P5 pitch SMD LED (448 x 128) 57,344 pixels
29kg, 100,000 hrs usage 24/7
DLB1948 - 1.9m x .5m x .025m P5 pitch SMD LED (384 x 96) 36,864 pixels
18.6kg, 100,000 hrs usage 24/7



MEDIA

Stand out, Be seen.

